



## iRIS4

iRIS4 is the most convertible fire alarm panel in Teletek portfolio. The panel offers a huge variety of functionalities,...

[SEE MORE](#)



## iRIS8 B

iRIS8 B is the latest generation of addressable fire alarm panel in the Teletek Electronics portfolio. The possibility to...

[SEE MORE](#)



## iRIS8

iRIS8 is the latest generation of addressable fire alarm panel in the Teletek Electronics portfolio. The possibility to...

[SEE MORE](#)



## IRIS8 Loop Extension

IRIS8 Ext. is an analogue addressable fire alarm loop extension. It extends the capacity of IRIS8 panel with 4 more loop..

[SEE MORE](#)



## Repeater TFT IRIS/SIMPO

The Repeater is a device that duplicates the information provided by the SIMPO and IRIS addressable fire panels in order to..

[SEE MORE](#)



## SIMPO

SIMPO is the perfect solution for smaller addressable installations. The addressable panel supports up to two loops with coverage of 48 zones. 250..

[SEE MORE](#)



## Repeater

The Repeater fire alarm panel is designed to work with Telettek Electronics addressable fire alarm panels IRIS, IRIS PRO and SIMPO. It is used to..

[SEE MORE](#)



## SIMPO TTE Loop

SIMPO TTE loop is a loop expander for 1 loop in SIMPO Addressable Fire Alarm Systems. The loop expander supports TTE communication protocol and is..

[SEE MORE](#)



### SensolIRIS T110

SensolIRIS T110 is an addressable heat detector designed for installation in addressable fire alarm systems supporting TTE communication protocol..

[SEE MORE](#)



### SensolIRIS T110 IS

SensolIRIS T110 IS is an addressable heat detector with built-in isolator designed for installation in addressable fire alarm systems supporting TTE..

[SEE MORE](#)



### SensolIRIS S130

SensolIRIS S130 is an addressable optical-smoke detector designed for installation in addressable fire alarm systems supporting TTE communication..

[SEE MORE](#)



### SensolIRIS S130 IS

SensolIRIS S130 IS is an addressable optical-smoke detector with built-in isolator designed for installation in addressable fire alarm systems..

[SEE MORE](#)



## SensolIRIS M140

SensolIRIS M140, is an addressable combined (temperature and optical-smoke) detector, designed for installation in addressable fire alarm systems..

[SEE MORE](#)



## SensolIRIS M140 IS

SensolIRIS M140 IS is an addressable combined (temperature and optical-smoke)..

[SEE MORE](#)



## SensolIRIS GAS

SensolIRIS GAS is addressable gas, LPG and CH4 (Methane), leakage detector. When flammable gas is present in concentrations, higher than the dangerous,..

[SEE MORE](#)



## SensolIRIS B124

SensolIRIS B124 is a standard base for addressable detectors and sounders SensolIRIS Series.

[SEE MORE](#)





## SensolRIS CSST IS

SensolRIS CSST IS is a sounder with strobe with integrated base for SensolRIS detectors and with built-in isolator module. SensolRIS CSST IS is..

[SEE MORE](#)



## SensolRIS CSST

SensolRIS CSST is a sounder with strobe with integrated base for SensolRIS detectors. SensolRIS CSST is compatible for mounting on all models ..

[SEE MORE](#)



## SensolRIS CSOU IS

SensolRIS CSOU IS is a sounder with integrated base for SensolRIS detectors and with built-in isolator module. SensolRIS CSOU IS is compatible for..

[SEE MORE](#)



## SensolRIS CSOU

SensolRIS CSOU is a sounder with integrated base for SensolRIS detectors. SensolRIS CSOU is compatible for mounting on all models standard bases for..

[SEE MORE](#)



### SensolIRIS VAD WST

SensolIRIS VAD RST is EN54-23 approved base with with built-in white LED flash beacons. The base is specially designed for use with analogue -..

[SEE MORE](#)



### SensolIRIS VAD RST

SensolIRIS VAD RST is EN54-23 approved base with with built-in red LED flash beacons. The base is specially designed for use with..

[SEE MORE](#)



### SensolIRIS WSOU

SensolIRIS WSOU is an addressable Wall Mount Sounder designed for installation in addressable fire alarm systems supporting TTE communication..

[SEE MORE](#)



### SensolIRIS WSOU IS

SensolIRIS WSOU IS is an addressable Wall Mount Sounder with built-in isolator module, designed for installation in addressable fire alarm systems..

[SEE MORE](#)



### SensolRIS MiniOut

SensolRIS MiniOUT is a compact addressable module with single non-monitored output. The module is designed for built-in..

[SEE MORE](#)



### SensolRIS MIMIC

SensolRIS MIMIC is an addressable module, specially designed for connection to mimic/repeater panels presenting a..

[SEE MORE](#)



### SensolRIS MIO04

SensolRIS MIO04 is an addressable module with 4 relay outputs. The module is designed for application in addressable fire alarm systems, supporting..

[SEE MORE](#)



### SensolRIS MIO22

SensolRIS MIO22 is an addressable input-output module, designed for application in addressable fire alarm systems, supporting TTE communication..

[SEE MORE](#)



### SensolRIS MIO40

SensolRIS MIO40 is an addressable module with 4 inputs for monitoring of analogue signals. The module is designed for application in addressable fire..

[SEE MORE](#)



### SensolRIS MC-Z

SensolRIS MC-Z is an addressable conventional zone module, designed for application in addressable fire alarm systems, supporting TTE communication..

[SEE MORE](#)



### SensolRIS MOUT

SensolRIS MOUT is an addressable monitored output module for connecting of conventional sounders. The module is designed for application in..

[SEE MORE](#)



### SensolRIS MOUT-240

SensolRIS MOUT-240 is an electrical mains switching relay output control module designed for application in addressable fire alarm systems, supporting..

[SEE MORE](#)





### MAG2

MAG 2M is a conventional fire alarm panel certified to EN54-2/4 standard, providing 2 fixed zones. Up to 20 (32

[SEE MORE](#)



### MAG2P

MAG2P is a conventional fire alarm panel certified to EN54-2/4 standard, providing 2 fixed zones. Up to 20 (32

[SEE MORE](#)



### MAG4

MAG4 is a conventional fire alarm panel certified to EN54-2/4 standard, providing 4 fixed zones. Up to 20 (32

[SEE MORE](#)



### MAG4P

MAG4P is a conventional fire alarm panel certified to EN54-2/4 standard, providing 4 fixed zones. Up to 20 (32

[SEE MORE](#)



## MAG8

MAG8 is a conventional fire alarm panel certified to EN54-2/4, providing 8 fixed zones. Up to 20 (32

[SEE MORE](#)



## MAG8Plus

MAG8Plus is a conventional fire detection and indication panel certified to EN54-2/4. The panel has 8 fixed and is expanded up to 16..


[SEE MORE](#)



## ML Exp

MAG Logger is a LOG module for recording and viewing of events in MAG 8 and MAG8Plus Fire Control Panels. The module can be built-in in the fire..

[SEE MORE](#)



## MS4

MS4 is an expander module for built-in mounting in the box of MAG8plus conventional fire alarm panel. The module provides 4 additional sounder outputs..

[SEE MORE](#)



### SensoMAG MHB50

SensoMAG MHB50 is emergency Stop Button for emergency stop of the gas extinguishing system.

[SEE MORE](#)



### SensoMAG MRB50

SensoMAG MRB50 is manual Release Button for activation of the extinguishing system.

[SEE MORE](#)

Privacy & Cookies Policy



### IVY ML

IVY ML is LOG memory module for IVY panel, built-in mounting into the panel's box. The module has memory for 1000 events..

[SEE MORE](#)



### IVY

IVY is an extinguishing conventional fire control panel. The panel is designed for using together with systems for gas, powder, aerosol, water and..

[SEE MORE](#)



### SensoMAG F10

SensoMAG F10 is a fixed temperature detector with digital processing algorithm. The detector is designed to detect temperatures above 60°C (class..

[SEE MORE](#)



### SensoMAG F10B

SensoMAG F10B is a fixed temperature detector with digital processing algorithm. The detector is designed to detect temperatures above 75°C (class..

[SEE MORE](#)



### SensoMAG R20

SensoMAG R20 is a rate-of-rise temperature detector with digital processing algorithm. The detector is designed to detect temperatures above 58°C..

[SEE MORE](#)



### SensoMAG S30

SensoMAG S30 is an optical-smoke detector with digital processing algorithm. The detector is designed to detect smoke in the very early stage of the..

[SEE MORE](#)





## SensoMAG M40

SensoMAG M40 is a combined (optical-smoke and rate-of-rise) detector with digital processing algorithm, class A1/R. The integrated automatic drift.

[SEE MORE](#)



## SensoMAG B24

SensoMAG B24 is a standard base for conventional detectors SensoMAG series: F10, F10B, R20, S30 and M40. The base is with low profile design and..

[SEE MORE](#)



## SensoMAG B24D

SensoMAG B24D is a standard base with Schottky diode for detection for removed detector from its base. The base is designed for conventional detectors.

[SEE MORE](#)



## SensoMAG B24RD

SensoMAG B24RD is a standard base with Schottky diode and increased alarm state current. The base is designed for conventional detectors SensoMAG..

[SEE MORE](#)



### SF100 WSST

SF100 WSST is a conventional fire alarm sounder with a strobe. The sounder supports 32 different alarm tone types selectable via DIP switches on the..

[SEE MORE](#)



### SF100 RSND

SF100 RSND is a conventional fire alarm sounder, designed for installing in conventional fire alarm systems. The sounder supports 32 different alarm..

[SEE MORE](#)



### SF100 RSST

SF100 RSST is a conventional wall mount sounder and strobe, designed for installing in conventional fire alarm..

[SEE MORE](#)



### Hera WSST (SF100 Lite WSST)

Hera WSST is a conventional fire alarm sounder with strobe and has one input for connection to a conventional fire alarm..

[SEE MORE](#)



### Hera RSND (SF100 Lite RSND)

Hera RSND is a conventional fire alarm sounder with one input for connection to a conventional fire alarm panel. Hera RSND..

[SEE MORE](#)



### Hera RSST (SF100 Lite RSST)

Hera RSST is a conventional fire alarm sounder with strobe and has one input for connection to a conventional fire alarm..

[SEE MORE](#)



### SF50

SF50 is a conventional fire alarm sounder with strobe and has one input for connection to a conventional fire alarm panel..

[SEE MORE](#)



### SF 200

SF 200 is an outdoor conventional piezo siren. The siren is equipped with 2 LED flash indicators and 1 status indicator.

[SEE MORE](#)



## Wet Base

Wet Base is waterproof deep base accessory for mounting into difficult and harsh environments, and areas with high..

[SEE MORE](#)



## DeepBase R

DeepBase R is red deep base compatible with SensoIRIS WSxx sounders, SF100 RSST/RSND sounders. The deep base allows the..


[SEE MORE](#)



## DeepBase W

DeepBase W is white deep base compatible with SensoMAG detectors, SensoIRIS detectors, SensoIRIS WSxx and BSxx sounders,..

[SEE MORE](#)



## MAG8plus/IRIS FLM KIT

Mounting kit for fire alarm panels IRIS and MAG8 Plus.

[SEE MORE](#)





### FRL-1

FRL-1 is a fire remote indicator with 1 input. The device repeats the status of 1 or several automatic fire detectors (up to 3) SensoMAG or SensoRIS..

[SEE MORE](#)



### MCP Cover Set

Set of 5 pcs. plastic safety covers for manual call points.

[SEE MORE](#)



### PS2410

PS 2410 is a "battery backed" auxiliary power supply unit for use in 24 VDC fire systems. It is intended for internal use in domestic and..

[SEE MORE](#)



### Fireray Long Range Kit

Fireray Long Range Kit 1010-000 is an accessory which increase the operating range of 6010-100 Fireray One from 50m to 120m.

[SEE MORE](#)